




Vento Eco Standard Pro

Heat recovery single-room units. Maximum air flow up to 50 m³/h

- Air flow in heat recovery mode: 25
- Sound pressure level LpA at 3 m: 20
- Sound pressure level LpA at 1 m: 29
- Heat exchanger type: Regenerative
- Motor type: EC
- Control: Wired control panel
- Casing material: Plastic

| | Unit of measurement | Vento Eco Standard Pro | | |
|-----------------------------------|---------------------|------------------------|-------|-------|
| Speed | - | 3 | | |
| Minimum supply voltage | V | 100 | | |
| Maximum supply voltage | V | 240 | | |
| Power supply frequency | Hz | 50/60 | | |
| Rated power | W | 1.00 | 2.10 | 4.30 |
| Unit current | A | 0.017 | 0.025 | 0.041 |
| Air flow in ventilation mode | m ³ /h | 15 | 30 | 50 |
| Air flow in heat recovery mode | m ³ /h | 8 | 15 | 25 |
| Sound pressure level LpA at 3 m | dB(A) | 12 | 18 | 20 |
| Sound pressure level LpA at 1 m | dB(A) | 21 | 27 | 29 |
| Heat recovery efficiency, max | % | 92 | | |
| Heat exchanger type | - | Regenerative | | |
| Heat exchanger material | - | Ceramic | | |
| Transported air temperature (max) | °C | 40 | | |
| Transported air temperature (min) | °C | -20 | | |
| Ingress protection rating | - | IP24 | | |






Dimensions











Accessories











Other accessories

| Name | Photo | Description |
|---------------|-------|---|
| FP2 Vento G3 | | G3 filter kit (2 pcs.) |
| FP2 Vento G4 | | Coarse filter G4 Contents: • plastic filter holder (1 pc.) • G4 filter (1 pc.) |
| FP2 Vento F7 | | Fine filter F7 Includes: • plastic filter holder (1 pc.) • F7 fine filter (1 pc.). Filtration rate PM2.5 > 70 % |
| FPC 150x50 G4 | | Filter |

| | | |
|--------------------------|---|--|
| FPC 150x50 F7 |  | Filter |
| KIT BlauPlast white 160 |  | Kit for angular mounting (for walls with standard thickness) |
| KIT BlauPlast chrome 160 |  | Kit for angular mounting (for walls with standard thickness) |
| R 160-500 |  | Air duct 160 mm and polystyrene foam plug |
| R 160-700 |  | Air duct 160 mm and polystyrene foam plug |

Hoods

| Name | Photo | Description |
|--------------------------------------|---|--|
| AH-8 white 160 |  | Outer ventilation hood with frost protection for a cold climate |
| AH-8 chrome 160 |  | Outer ventilation hood with frost protection for a cold climate |
| AH-10 chrome 160 |  | Plastic hoods decoration of supply and exhaust vents of public, residential and industrial ventilation systems |
| AH-10 beige 160 |  | Plastic hoods decoration of supply and exhaust vents of public, residential and industrial ventilation systems |
| AH-10 black 160 |  | Plastic hoods decoration of supply and exhaust vents of public, residential and industrial ventilation systems |
| AH-10 brown 160 |  | Plastic hoods decoration of supply and exhaust vents of public, residential and industrial ventilation systems |
| AH-10 grey 160 |  | Plastic hoods decoration of supply and exhaust vents of public, residential and industrial ventilation systems |
| AH-10 terracotta 160 |  | Plastic hoods decoration of supply and exhaust vents of public, residential and industrial ventilation systems |

| | | |
|--------------------------------------|---|--|
| AH-10 white 160 |  | Plastic hoods decoration of supply and exhaust vents of public, residential and industrial ventilation systems |
| AH-11 vintage 160 |  | Plastic hoods decoration of supply and exhaust vents of public, residential and industrial ventilation systems |
| AH-11 black 160 |  | Plastic hoods decoration of supply and exhaust vents of public, residential and industrial ventilation systems |
| AH-11 brown 160 |  | Plastic hoods decoration of supply and exhaust vents of public, residential and industrial ventilation systems |
| AH-11 grey 160 |  | Plastic hoods decoration of supply and exhaust vents of public, residential and industrial ventilation systems |
| AH-11 terracotta 160 |  | Plastic hoods decoration of supply and exhaust vents of public, residential and industrial ventilation systems |
| AH-11 white 160 |  | Plastic hoods decoration of supply and exhaust vents of public, residential and industrial ventilation systems |
| AH-S chrome 160 |  | Stainless steel ventilation hood |
| AH-S white 160 |  | Stainless steel ventilation hood |
| PP 160/0.5 |  | The outer hood is designed to prevent the ingress of water and large objects into the ventilation equipment from outside |