











## Aero Still






Extract fan for low-noise applications














- Motor type: AC
- Casing material: Plastic
- Timer: Turn off timer
- Humidity sensor
- Motion sensor






Lineup	Connected air duct size, mm	Rated power, W	Maximum airflow, m <sup>3</sup> /h	Sound pressure level LpA at 3 m, dB(A)	Pull cord	Timer	Humidity sensor	Motion sensor
 Aero Still 100	100	5.5	84	25				
 Aero Still 100 S	100	5.5	84	25	✓			
 Aero Still 100 T	100	5.5	84	25		✓		
 Aero Still 100 ST	100	5.5	84	25	✓	✓		
 Aero Still 100 H	100	5.5	84	25		✓	✓	
 Aero Still 100 SH	100	5.5	84	25	✓	✓	✓	

 Aero Still 100 IR	100	5.5	84	25		✓		✓
 Aero Still 125	125	9.4	158	31				
 Aero Still 125 S	125	9.4	158	31	✓			
 Aero Still 125 T	125	9.4	158	31		✓		
 Aero Still 125 ST	125	9.4	158	31	✓	✓		
 Aero Still 125 H	125	9.4	158	31		✓	✓	
 Aero Still 125 SH	125	9.4	158	31	✓	✓	✓	
 Aero Still 125 IR	125	9.4	158	31		✓		✓
 Aero Still 150	150	19	254	33				
 Aero Still 150 S	150	19	254	33	✓			
 Aero Still 150 T	150	19	254	33		✓		
 Aero Still 150 ST	150	19	254	33	✓	✓		
 Aero Still 150 H	150	19	254	33		✓	✓	

 Aero Still 150 SH	150	19	254	33	✓	✓	✓	
 Aero Still 150 IR	150	19	254	33		✓		✓
 Aero Still Chrome 100	100		84	25				
 Aero Still Chrome 100 S	100	5.5	84	25	✓			
 Aero Still Chrome 100 T	100	5.5	84	25		✓		
 Aero Still Chrome 100 ST	100	5.5	84	25	✓	✓		
 Aero Still Chrome 100 H	100	5.5	84	25		✓	✓	
 Aero Still Chrome 100 SH	100	5.5	84	25	✓	✓	✓	
 Aero Still Chrome 100 IR	100	5.5	84	25		✓		✓
 Aero Still Chrome 125	125		158	31				
 Aero Still Chrome 125 S	125	9.4	158	31	✓			
 Aero Still Chrome 125 T	125	9.4	158	31		✓		
 Aero Still Chrome 125 ST	125	9.4	158	31	✓	✓		

 Aero Still Chrome 125 H	125	9.4	158	31		✓	✓	
 Aero Still Chrome 125 SH	125		158	31	✓	✓	✓	
 Aero Still Chrome 125 IR	125	9.4	158	31		✓		✓
 Aero Still Chrome 150	150		254	33				
 Aero Still Chrome 150 S	150	19	254	33	✓			
 Aero Still Chrome 150 T	150	19	254	33		✓		
 Aero Still Chrome 150 ST	150	19	254	33	✓	✓		
 Aero Still Chrome 150 H	150	19	254	33		✓	✓	
 Aero Still Chrome 150 SH	150	19	254	33	✓	✓	✓	
 Aero Still Chrome 150 IR	150	19	254	33		✓		✓
 Aero Still Vintage 100 S	100		84	25	✓			
 Aero Still Vintage 100	100		84	25				
 Aero Still Vintage 100 T	100	5.5	84	25		✓		

 Aero Still Vintage 100 ST	100	5.5	84	25	✓	✓		
 Aero Still Vintage 100 H	100	5.5	84	25		✓	✓	
 Aero Still Vintage 100 SH	100	5.5	84	25	✓	✓	✓	
 Aero Still Vintage 100 IR	100	5.5	84	25		✓		✓
 Aero Still Vintage 125	125		158	31				
 Aero Still Vintage 125 S	125	9.4	158	31	✓			
 Aero Still Vintage 125 T	125	9.4	158	31		✓		
 Aero Still Vintage 125 ST	125	9.4	158	31	✓	✓		
 Aero Still Vintage 125 H	125		158	31		✓	✓	
 Aero Still Vintage 125 SH	125	9.4	158	31	✓	✓	✓	
 Aero Still Vintage 125 IR	125	9.4	158	31		✓		✓
 Aero Still Vintage 150	150		254	33				
 Aero Still Vintage 150 S	150	19	254	33	✓			

 Aero Still Vintage 150 T	150	19	254	33		✓		
 Aero Still Vintage 150 ST	150	19	254	33	✓	✓		
 Aero Still Vintage 150 H	150	19	254	33		✓	✓	
 Aero Still Vintage 150 SH	150	19	254	33	✓	✓	✓	
 Aero Still Vintage 150 IR	150	19	254	33		✓		✓