









# Bravo Still

Extract fans














- Motor type: AC
- Casing material: Plastic
- Timer: Turn off timer
- Humidity sensor
- Motion sensor






Lineup	Connected air duct size, mm	Rated power, W	Maximum airflow, m <sup>3</sup> /h	Sound pressure level LpA at 3 m, dB(A)	Pull cord	Timer	Humidity sensor	Motion sensor
 Bravo Still 100	100	5.6	70	26				
 Bravo Still 100 S	100	5.6	70	26	✓			
 Bravo Still 100 T	100	5.6	70	26		✓		
 Bravo Still 100 ST	100	5.6	70	26	✓	✓		
 Bravo Still 100 H	100	5.6	70	26		✓	✓	
 Bravo Still 100 SH	100	5.6	70	26	✓	✓	✓	

 Bravo Still 100 IR	100	5.6	70	26		✓		✓
 Bravo Still 125	125	9.3	115	31				
 Bravo Still 125 S	125	9.3	115	31	✓			
 Bravo Still 125 T	125	9.3	115	31		✓		
 Bravo Still 125 ST	125	9.3	115	31	✓	✓		
 Bravo Still 125 H	125	9.3	115	31		✓	✓	
 Bravo Still 125 SH	125	9.3	115	31	✓	✓	✓	
 Bravo Still 125 IR	125	9.3	115	31		✓		✓
 Bravo Still 150	150	20	235	35				
 Bravo Still 150 S	150	20	235	35	✓			
 Bravo Still 150 T	150	20	235	35		✓		
 Bravo Still 150 ST	150	20	235	35	✓	✓		
 Bravo Still 150 H	150	20	235	35		✓	✓	

 Bravo Still 150 SH	150	20	235	35	✓	✓	✓	
 Bravo Still 150 IR	150	20	235	35		✓		✓
 Bravo Still Chrome 100	100	5.6	70	26				
 Bravo Still Chrome 100 S	100	5.6	70	26	✓			
 Bravo Still Chrome 100 T	100	5.6	70	26		✓		
 Bravo Still Chrome 100 ST	100	5.6	70	26	✓	✓		
 Bravo Still Chrome 100 H	100	5.6	70	26		✓	✓	
 Bravo Still Chrome 100 SH	100	5.6	70	26	✓	✓	✓	
 Bravo Still Chrome 100 IR	100	5.6	70	26		✓		✓
 Bravo Still Chrome 125	125	9.3	115	31				
 Bravo Still Chrome 125 S	125	9.3	115	31	✓			
 Bravo Still Chrome 125 T	125	9.3	115	31		✓		
 Bravo Still Chrome 125 ST	125	9.3	115	31	✓	✓		

	Bravo Still Chrome 125 H	125	9.3	115	31		✓	✓	
	Bravo Still Chrome 125 SH	125	9.3	115	31	✓	✓	✓	
	Bravo Still Chrome 125 IR	125	9.3	115	31		✓		✓
	Bravo Still Chrome 150	150	20	235	35				
	Bravo Still Chrome 150 S	150	20	235	35	✓			
	Bravo Still Chrome 150 T	150	20	235	35		✓		
	Bravo Still Chrome 150 ST	150	20	235	35	✓	✓		
	Bravo Still Chrome 150 H	150	20	235	35		✓	✓	
	Bravo Still Chrome 150 SH	150	20	235	35	✓	✓	✓	
	Bravo Still Chrome 150 IR	150	20	235	35		✓		✓
	Bravo Still Platinum 100	100	5.6	70	26				
	Bravo Still Platinum 100 S	100	5.6	70	26	✓			
	Bravo Still Platinum 100 T	100	5.6	70	26		✓		

	Bravo Still Platinum 100 ST	100	5.6	70	26	✓	✓		
	Bravo Still Platinum 100 H	100	5.6	70	26		✓	✓	
	Bravo Still Platinum 100 SH	100	5.6	70	26	✓	✓	✓	
	Bravo Still Platinum 100 IR	100	5.6	70	26		✓		✓
	Bravo Still Platinum 125	125	9.3	115	31				
	Bravo Still Platinum 125 S	125	9.3	115	31	✓			
	Bravo Still Platinum 125 T	125	9.3	115	31		✓		
	Bravo Still Platinum 125 ST	125	9.3	115	31	✓	✓		
	Bravo Still Platinum 125 H	125	9.3	115	31		✓	✓	
	Bravo Still Platinum 125 SH	125	9.3	115	31	✓	✓	✓	
	Bravo Still Platinum 125 IR	125	9.3	115	31		✓		✓
	Bravo Still Platinum 150	150	20	235	35				
	Bravo Still Platinum 150 S	150	20	235	35	✓			

 Bravo Still Platinum 150 T	150	20	235	35		✓		
 Bravo Still Platinum 150 ST	150	20	235	35	✓	✓		
 Bravo Still Platinum 150 H	150	20	235	35		✓	✓	
 Bravo Still Platinum 150 SH	150	20	235	35	✓	✓	✓	
 Bravo Still Platinum 150 IR	150	20	235	35		✓		✓