










S-Vent

Centrifugal inline fans

- Motor type: AC
- Impeller type: Centrifugal forward curved blades
- Casing material: Coated steel

| Lineup | Rated power, W | Maximum airflow, m ³ /h |
|---|----------------|------------------------------------|
|  S-Vent 140x74-0,25-4D-R90 | 250 | 450 |
|  S-Vent 140x74-0,37-2D-R90 | 370 | 710 |
|  S-Vent 160x74-0,55-4D-R90 | 550 | 750 |
|  S-Vent 160x74-0,75-2D-R90 | 750 | 1540 |
|  S-Vent 180x74-0,55-4D-R90 | 550 | 1030 |
|  S-Vent 180x74-1,1-2D-R90 | 1100 | 1950 |
|  S-Vent 200x93-0,55-4D-R90 | 550 | 1615 |

| | | |
|---|------|------|
|  S-Vent 200x93-1,1-2D-R90 | 1100 | 1900 |
|  S-Vent 225x103-1,1-4D-R90 | 1100 | 2125 |
|  S-Vent 225x103-2,2-2D-R90 | 2200 | 3350 |
|  S-Vent 240x114-2,2-4D-R90 | 2200 | 2930 |
|  S-Vent 240x114-3,0-2D-R90 | 3000 | 4350 |
|  S-Vent 250x127-1,5-6D-R90 | 1500 | 2415 |
|  S-Vent 250x127-2,2-4D-R90 | 2200 | 3720 |
|  S-Vent 250x127-5,5-2D-R90 | 5500 | 4820 |
|  S-Vent 280x127-1,5-6D-R90 | 1500 | 3450 |
|  S-Vent 280x127-2,2-4D-R90 | 2200 | 4395 |
|  S-Vent 280x127-5,5-2D-R90 | 5500 | 6330 |
|  S-Vent 315x143-2,2-6D-R90 | 2200 | 4375 |
|  S-Vent 315x143-4,0-4D-R90 | 4000 | 6530 |

| | | |
|--|-------|-------|
|  S-Vent 355x143-2,2-6D-R90 | 2200 | 5090 |
|  S-Vent 355x143-4,0-4D-R90 | 4000 | 8150 |
|  S-Vent 400x183-1,5-8D-R90 | 1500 | 6545 |
|  S-Vent 400x183-2,2-6D-R90 | 2200 | 8100 |
|  S-Vent 400x183-5,5-4D-R90 | 5500 | 10175 |
|  S-Vent 450x203-3,0-8D-R90 | 3000 | 10230 |
|  S-Vent 450x203-4,0-6D-R90 | 4000 | 11150 |
|  S-Vent 450x203-11,0-4D-R90 | 11000 | 19000 |
|  S-Vent 500x229-5,5-8D-R90 | 5500 | 11550 |
|  S-Vent 500x229-7,5-6D-R90 | 7500 | 14960 |
|  S-Vent 500x229-11,0-4D-R90 | 11000 | 17250 |